

To: Albizu, Ramon[Albizu.Ramon@epa.gov]
Cc: Allen, HarryL[Allen.HarryL@epa.gov]; MUSANTE, JASON[Musante.Jason@epa.gov]
From: Guria, Peter
Sent: Tue 10/18/2016 7:23:35 PM
Subject: RE: Fruitland Mg Fire Site - START CPW amendments E and F

OK, then put together the PR with AoA.

From: Albizu, Ramon
Sent: Tuesday, October 18, 2016 8:18 AM
To: Guria, Peter <Guria.Peter@epa.gov>
Cc: Allen, HarryL <Allen.HarryL@epa.gov>; MUSANTE, JASON <Musante.Jason@epa.gov>
Subject: RE: Fruitland Mg Fire Site - START CPW amendments E and F

\$240 for removal work (AoA) according to the CPW. Jason feel free to add to the discussion if that's not the case.

From: Guria, Peter
Sent: Tuesday, October 18, 2016 8:10 AM
To: Albizu, Ramon <Albizu.Ramon@epa.gov>
Cc: Allen, HarryL <Allen.HarryL@epa.gov>; MUSANTE, JASON <Musante.Jason@epa.gov>
Subject: RE: Fruitland Mg Fire Site - START CPW amendments E and F

Removal work or assessment? If removal, then AoA, if assessment...well there is no money...

From: Albizu, Ramon
Sent: Tuesday, October 18, 2016 8:07 AM
To: Guria, Peter <Guria.Peter@epa.gov>
Cc: Allen, HarryL <Allen.HarryL@epa.gov>; MUSANTE, JASON <Musante.Jason@epa.gov>
Subject: RE: Fruitland Mg Fire Site - START CPW amendments E and F

About \$240K.

From: Guria, Peter

Sent: Tuesday, October 18, 2016 7:21 AM
To: Albizu, Ramon <Albizu.Ramon@epa.gov>; MUSANTE, JASON <Musante.Jason@epa.gov>
Cc: Allen, HarryL <Allen.HarryL@epa.gov>
Subject: RE: Fruitland Mg Fire Site - START CPW amendments E and F

Depends. How much? If it's for removal work, there is AoA available.

From: Albizu, Ramon
Sent: Monday, October 17, 2016 12:00 PM
To: MUSANTE, JASON <Musante.Jason@epa.gov>
Cc: Guria, Peter <Guria.Peter@epa.gov>; Allen, HarryL <Allen.HarryL@epa.gov>
Subject: Re: Fruitland Mg Fire Site - START CPW amendments E and F

Thanks Jason! I guess is now up to Harry and/or Pete to approve the funds.

Harry/Pete - Do we have the funds and authority to spend it? Can I move forward with a START PR?

Thanks,

Ramon D. Albizu

U.S EPA R9 (SFD 9-4)

75 Hawthorne Street

San Francisco, CA 94105

albizu.ramon@epa.gov

Office: (415) 972-3091

Mobile: (415) 515-9569

Sent from my work iPhone

On Oct 17, 2016, at 11:54 AM, MUSANTE, JASON <Musante.Jason@epa.gov> wrote:

Hi Ramon -

Amendment F is the CPW that provided for the TDD amendment. My IGCE incorporates additional costs not considered by START (analytical, non-field support).

Please contact me with any questions.

Thank you?

Jason Musante
Federal On-Scene Coordinator
U.S. EPA Region IX - Los Angeles
213.479.2120<<tel:213.479.2120>>
musante.jason@epa.gov<<mailto:musante.jason@epa.gov>>

Report oil or chemical spills
National Response Center: 800.424.8802<<tel:800.424.8802>>
Region IX Duty Officer: 800.300.2193<<tel:800.300.2193>>

Begin forwarded message:

From: "Green, Ryan"
<Ryan.Green@WestonSolutions.com<<mailto:Ryan.Green@WestonSolutions.com>>>
To: "MUSANTE, JASON" <Musante.Jason@epa.gov<<mailto:Musante.Jason@epa.gov>>>
Cc: "Richard Mehl"
<rick.mehl@westonsolutions.com<<mailto:rick.mehl@westonsolutions.com>>>, "DeFao,
Joseph" <Joe.DeFao@WestonSolutions.com<<mailto:Joe.DeFao@WestonSolutions.com>>>
Subject: Fruitland Mg Fire Site - START CPW amendments E and F

Jason,

Attached are CPW amendments E (pre-removal assessment and reporting tasks) and F (removal support). Sorry for the delay in getting these to you. Please let me know if you have any questions or suggested changes.

Ryan

Ryan R. Green • Weston Solutions, Inc.
Geoscientist • START Core Response Team
Office: 562-270-3317 • Cell: 330-958-0037

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

<Fruitland Magnesium Fire Incident ER CPW Amend E.pdf>

<Fruitland Magnesium Fire Incident ER CPW Amend F.pdf>